171 171 171 170 170 170

T. 9 N R. 2 W 2d Mer.

204 204 204 203 203 203

206 6 230 5 224 4 220 3 215 2 211 1 74

230 230 224 219 215 210

206 7 224 8 223 9 219 10 214 11 210 12 74

224 228 223 218 214 210

206 18 228 17 222 16 218 15 214 14 209 13 74

227 227 222 218 213 209

205 19 227 20 222 21 217 22 213 23 208 24 73

226 226 221 217 212 208

205 30 226 29 224 28 216 27 212 26 208 25 73

225 225 220 216 212 207

224 210

67 31 32 374 33 216 35 321 36

Township No 9 N Range No 2 West 5th Mer

CHS. LKS.

South Boundary.

April 6 1811. From the Cor of T. 8 & 9 N. R. 2 W.

West On the South Boundary of Sec 36 T 9 N R 2 W

40.00 Set a 1/4 Sec post from which a
Hickory 13 in dia bears N 37 E 31 links dist va
Do 14 " " " S 53 W 22 " "

80.00 Set a post for the Cor of Secs 35 & 36 from
which a Dogwood 5 in dia bears S 76 W 28
links dist va Do 4 " " " N 76 E 16
" "

Land level. Timber Oak & Hickory

West On the South Boundary of Sec 35 T 9 N R 2 W

35.00 To a Brook 10 links wide. Course S

40.00 Set a 1/4 Sec post from which a
Beech 10 in dia bears S 46 E 14 links dist va
Dogwood 5 " " " N 87 W 16 " " "

80.00 Set a post for the Cor of Secs 35 & 34 from
which a W Oak 15 in dia bears N 30 W 7 lks dist
and a Do 18 " " " S 45 W 13 " "
Land the same

West On the South Boundary of Sec 34 T 9 N R 2 W

40.00 Set a 1/4 Sec post from which a
Sugar 12 in dia bears S 25 E 13 links dist va
Do 8 " " " N 5 W 12 " "

80.00 Set a post for the Cor of Secs 33 & 34 from which
a Gum 5 in dia bears S 40 W 17 links dist va
B. Oak 36 " " " N 55 E 15 " "
Land level. Timber Oak, Poplar & Sugar

Township No. 9 N. Range No. 2 West 2d Meridian

CHS	LKS	
West		On the South Boundary of Sec. 33 Tp N. R 2 W.
40.	00	Set a 1/4 Sec. post from which a
		Sugar 10 in. dia. bears N 22 W 13 links dist. &c
		Do 13 " " " S 11 W 20 " "
80.	00	Set a post for the Cor. of Secs. 32 & 33 from which
		W. Ash 16 in. dia. bears N 25 E 9 links dist. &c
		Sugar 8 " " " S 35 W 20 " "
		Land good Timber Sugar, Ash, Walnut &c
West		On the South Boundary of Sec. 32 Tp N. R 2 W.
29.	00	To a Brook 25 links wide, Course N.
40.	00	Set a 1/4 Sec. post from which a
		Elm 5 in. dia. bears S 87 E 15 links dist. &c
		Beech 12 " " " N 42 W 16 " "
80.	00	Set a post for the Cor. of Secs. 31 & 32 from which
		a Sugar 12 in. dia. bears S 30 E 14 links dist. &c
		Beech 8 " " " N 12 W 12 " "
West		On the South Boundary of Sec. 31 Tp N. R. 2 W.
40.	00	Set a post for the Cor. of 1/4 Sec. from which a
		Sugar 16 in. dia. bears N 26 W 26 links dist. &c
		Do 4 " " " S 30 E 5 " "
~~80.~~	00	Set a Temp. post for the Cor. of Tps 8 & 9 N. R.s
W. 1980'		2 & 3 W. Land same as last mile. April 4 1811.

East Boundary
See Page 74

Township No. 9 N Range No. 1 West 3d Merid

CHS. LKS.

West Boundary. Apr. 4. 1811.

North On the East Boundary of Sec. 36 Tp N.R. 1 W.
40.00 Set a 1/4 Sec post from which a
Hickory 10 in. dia. bears West 18 links dist. & a
Maple 11 " " " N 65 E 33 " "
61.00 To a W. Oak 14 in. dia. in the line
80.00 Set a post for the Cor. of Secs. 25 & 36 from which a
Dogwood 4 in. dia. bears S 33 E 32 links dist. & a
Do 6 " " " N 33 W 34 " "
Land 1st rate. Timber Sugar Oak &c

North On the East Boundary of Sec. 25 Tp N R. 2 W.
38.00 To a Brook 10 links wide, Course S E.
40.00 Set a post from which a
W. Oak 14 in. dia. bears S 50 E 18 links dist. & a
Do 11 " " " N 79 W 10 " "
66.00 To a Hickory 14 in. dia. in the line
80.00 Set a post for the Cor. of Secs. 24 & 25 from which
a Hickory 12 in. dia. bears N 50 E 20 links dist. & a
Beech 12 " " " S 74 W 36 " "
Land same as last mile.

North On the East Boundary of Sec. 24 Tp N.R. 2 W.
28.50 To a Brook 12 links wide. Course S.E.
40.00 Set a 1/4 Sec post from which a
Maple 14 in. dia. bears S 10 E 24 links dist. & a
Poplar 25 " " " S 75 W 10 " "
69.50 To a Walnut 18 in. dia. stands in the line
80.00 Set a post for the Cor. of Secs. 13 & 24 from which a
B. Oak 18 in. dia. bears N 46 W 20 links dist. & a

Township No 9 N Range No 1 West 5th Meridian

CHS.	LKS.	
		Dogwood 4 in. dia. bears S 59 W 12 links dist.
		Gold & timber same as last mile
North		On the East Boundary of Sec. 13 Tp. 9 N R. 2 W.
39.50		To a Hickory 18 in. dia. in the line
40.00		Set a 1/4 Sec. post from which a
		Sugar 10 in. dia. bears N 38 W 34 links dist. & a
		Do 13 " " " S 38 E 21 " "
67.00		To a Brook 12 links wide. Course N E
72.50		" Do 8 " " " S E
80.00		Set a post for the Cor. of Secs 12 & 13 from which a
		Hickory 12 in. dia. bears S 37 W 3 links dist. & a
		Do 10 " " " S 68 E 10 " "
		Land and timber same on the 1st 1/2 mile. 2d 1/2
		mile land of middling quality.
North		On the East Boundary of Sec. 12 Tp. 9 N R 2 W.
39.50		To an Ash 20 in. dia in the line
40.00		Set a 1/4 Sec. post from which a
		Sugar 12 in. dia bears N 47 W 9 links dist. & a
		Hickory 18 " " " S 57 E 31 " "
43.50		To a Brook 12 links wide. Course S E
53.50		" Poplar 20 in. dia. stands in the line
80.00		Set a post for the Cor. of Secs. 1 & 12 from which a
		Beech 13 in. dia. bears N 29 E 31 links dist. & a
		Elm 12 " " " N 60 W 40 " "
		Land and timber same as last mile
North		On the East Boundary of Sec. 1 Tp. 9 N R. 2 W.
37.75		To a Lane S 53 W.
40.00		Set a 1/4 Sec. post from which a

Township No 9 N. Range No 1 West 2d Merid

CHS.	LKS.	
		Sugar 17 in dia bears S 65 E 36 links dist & a
		Do 14 " " " N 19 W 31 " "
54	50	To a Sugar 16 in dia on the line
80	00	Set a post for the Cor of Tps 9 & 10 N R 1 & 2 W
		from which a Beech 7 in dia bears S 16 W 13
		links dist & a Do 12 " " " N 24 E 28
		" "
		Good land Timber Sugar Beech Poplar
		Surveyed by
		James Holmes
		D S

Subdivision. Sept 22nd 1815

North		Between Secs 35 and 36 Tp 9 N R 1 W.
40	00	Set a 1/4 Sec post from which a
		Blue Ash 3 in dia bears S 62 W 29 links dist & a
		Sugar 18 " " " N 28 E 28 " "
42	50	To a small Spring Branch Course S W
75	50	To a small Brook Course W
80	00	Set a post for the Cor of Secs 25. 26. 35 & 36
		from which a B 16 in dia bears S 71 E 16
		links dist & a Beech 12 " " N 8 W 12
		" "
		Land good for farming. Timber. Ash
		Beech. Sugar Lynn &c
East		On a Random line between Secs 25 & 36 Tp 9 N R 1 W
40	00	Set a Imp 1/4 Sec post
64	50	To a Brook 8 links wide Course S W
80	75	Intersect the N & S line on East Boundary

Township No 9 N Range No 2 West 2d Mer.

Chs.	Lks.	
		North Boundary
		April 4. 1811 East on a Random line between T. 9 & 10. N. R. 2 W. 5 miles 73 Chains I left 100 links North of the Township Cor. Corrected & marked the line West
West		On the South Boundary of Sec. 36 T 10 N R 2 W
7	50	To a Brook 10 links wide. Course N.E.
40	00	Set a 1/4 Sec. post from which a Ash 20 in. dia. bears S 77 E 2 links dist. & a Beech 14 " " " N 10 E 4 " "
80	00	Set a post for the Cor. of Secs. 35 & 36 from which a B. Oak 30 in dia. bears N 55 W 14 links dist. & a Hickory 5 " " " S 85 E 8 " " Good land. Timber Beech. Ash & Walnut
West		On the South Boundary of Sec 35 T 10 N R 2 W
40	00	Set a 1/4 Sec post from which a Gum 16 in. dia. bears N 60 E 2 links dist. & a Sugar 6 " " " S 20 W 36 " "
80	00	Set a post for the Cor. of Secs. 34 & 35 from which a Sugar 12 in. dia. bears S 70 E 3 lks dist and a Beech 16 " " " N 45 W 24 " " Land level and rich. Good land. Timber Beech. Oak &c
West		On the South Boundary of Sec. 34 T 10 N R 2 W
40	00	Set a post at the Cor. of 1/4 Sec. from which a Beech 11 in. dia. bears N 52 E 16 links dist. & a do 12 " " " S 21 E 15 " "
50	00	To a Creek 75 links wide. Course N W

Township No 9 N. Range No 2 West 2d Meridian

CHS	LKS	
20.00		Set a post for the Cor. of Secs. 33 & 34 from which a Sugar 4 in dia bears N 59 W 10 links dist. &c
		Do 5 " " " S 41 W 14 " "
		Land level and rich. Timber Beech Sugar & Hickory
West		On the South Boundary of Sec 33 T 10 N R 2 W
40.00		Set a 1/4 Sec. post from which a Hickory 18 in dia bears S 18 E 14 links dist. &c
		Beech 6 " " " N 27 E 21 " "
80.00		Set a post for the Cor of Secs. 32 & 33 from which a Beech 12 in dia bears N 46 W 9 links dist. &c
		Do 12 " " " S 14 W 18 " "
		Land level. Timber Oak & Beech
West		On the South Boundary of Sec. 32 T 10 N R 2 W
40.00		Set a post for the Cor. of 1/4 Sec from which a Beech 18 in dia bears N 45 E 29 links dist. &c
		Do 12 " " " S 4 E 9 " "
80.00		Set a post for the Cor. of Secs 31 & 32 from which a Beech 12 in dia bears S 86 E 17 links dist. &c
		Do 6 " " " N 1 W 26 " "
		Land flat & wet. Timber Beech &c
West		On the South Boundary of Sec 31 T 10 N R 2 W
15.00		Cr a Brook 8 links wide. Course W
40.00		Set a post for the Cor of 1/4 Sec from which a Beech 11 in dia. bears N 64 E 27 links dist. &c
		Do 18 " " " S 16 E 35 " "
73.00		Pass 50 links South of Temp post set post from which Beech 10 S 80 W 12 & Beech 8 N 70 E 34 links dist.
		Land flat Timber Beech &c

Township No 9 N. Range No 2 West 2d Mer'd

CHS. LKS.

West Boundary

April 8. 1811

North On the East Boundary of Sec 36 Tp N R 3 W
18.50 To a Oak 60 links wide, Corns S W.
25.00 " do 15 " " " S E
33.50 " do 15 " " " S W.
40.00 Set a post for the Cor of 1/4 Sec from which a
Sugar 11 in. dia. bears N 37 E 13 links dist. &c
do 12 " " " S 37 W 15 " "
75.00 To a Poplar 30 in. dia in the line
80.00 Set a post for the Cor. of Secs. 35 & 36 from which a
Sugar 10 in. dia. bears N 47 E 31 links dist. &c
Beech 16 " " " S 51 W 26 " "
Land rich. Timber Sugar &c

North On the East Boundary of Sec 25 Tp N R 3 W
40.00 Set a post for the Cor of 1/4 Sec from which a
Coffeenut 16 in. dia bears S 6 W 12 links dist. &c
Beech 10 " " " N 44 E 2 " "
62.00 To a Beech 15 in. dia stands in the line
80.00 Set a post for the Cor of 1/4 Sec 24 & 25 from
which a Sugar 4 in. dia bears S 20 E 3 links dist
Beech 18 in. dia bears N 31 W 25 links dist.
Land rich. Timber Sugar &c

North On the East Boundary of Sec 24 Tp N R 3 W
7.50 To a Beech 14 in. dia on the line
40.00 Set a 1/4 Sec post from which a
Hickory 12 in. dia. bears S 12 W 9 links dist &c
do 12 " " " N 38 E 9 " "
80.00 Set a post for the Cor. of Secs. 13 & 24 from which a

Township No 9 N Range No 2 West 2d Merid

Chs	Lks	
		N Oak 36 in. dia. bears N 47 E 22 links dist. &c
		Do 36 " " " S 47 W 20 " "
		Land level, Timber Oak, Hickory, Beech &c
North		On the East Boundary of Sec 13 Tp N R 3 W
19.	50	To a Sugar 18 in. dia in the line
34.	00	" Beech 30 links wide, Course S W
40.	00	Set a 1/4 Sec post from which a
		Beech 18 in dia. bears S 69 E 13 links dist. &c
		B. Oak 30 " " " S 46 W 45 " "
64.	50	To a Beech 25 in. dia in the line
80.	00	Set a post for the Cor. of Secs 12 & 13 from which a
		Hickory 11 in. dia. bears S 41 E 18 links dist. &c
		N Oak 20 " " " N 49 W 31 " "
		Land level, Timber Oak &c
North		On the East Boundary of Sec 12 Tp N R 2 W
10.	00	To a Poplar 20 in. dia in the line
34.	50	To a Beech 10 links wide, Course S W
40.	00	Set a 1/4 Sec post from which a
		Sugar 5 in. dia. bears S 43 W 16 links dist. &c
		Ash 18 " " " N 81 E 14 " "
80.	00	Set a post for the Cor of Secs 1 & 12 from which a
		Beech 14 in. dia bears N 63 W 21 links dist. &c
		Do 13 " " " S 65 E 36 " "
		Land level, Timber Beech Poplar Sugar &c
North		On the East Boundary of Sec 1 Tp N R 3 W
20.	00	Poplar 20 in. dia in the line
40.	00	Set a post for the Cor of 1/4 Sec from which an
		R. Oak 36 in dia bears S 41 E 3 links dist &c

[illegible]

[illegible]

[illegible]

[illegible]

Proceedings of a Court of Inquiry at Fort St George

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]	[illegible]
[illegible]	[illegible]
81 [illegible]	[illegible]
	[illegible]
	[illegible]
[illegible]	[illegible]
406 [illegible]	[illegible]
	[illegible]
	[illegible]
[illegible]	[illegible]
420 [illegible]	[illegible]
	[illegible]
	[illegible]
500 [illegible]	[illegible]
	[illegible]
	[illegible]
[illegible]	[illegible]
14.50 [illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
	[illegible]
	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Township No 9 N. Range No 2 West 2d Merid.

CHS	LKS	
		Beech 12 in dia bears S 65 E 10 links dist va
		Do 14 " " " N 44 W 16 " "
66	50	Intersect the N & S line on West Boundary
		30 links North of the post Cor of Secs 13 & 24
		T 9 N R 3 W & set a post for the Cor of Secs 18 & 19
		from which W. Oak 30 in dia bears N 61 E 23
		links dist & a do 30 " " " S 58 W 38
		" "
		Land hilly low. Timber same good farming land
North		Between Secs. 17 & 18 T 9 N R 2 W.
27	50	To a Brook 15 links wide. Course W.
32	50	To a Spring Brook Course W.
34	50	To a Brook 10 links wide Course W.
40	00	Set a 1/4 Sec post from which an
		Elm 20 in dia. bears N 7 E 37 links dist va
		W. Beech 8 " " " S 75 E 23 " "
80	00	Set a post for the Cor of Secs. 7. 8. 17 & 18 from
		which a Beech 27 in. dia. bears N 35 W 16
		links dist & a Sugar 6 " " " N 49 E 10
		" "
		Land level and Timber same, good land for
		farming nearly 1st rate.
East		On a Random line between Secs. 8 & 17 T 9 N R 2 W
40	00	Set a Temp 1/4 Sec. post
80	00	Intersect the N & S line 15 links South of the
		post Cor. of Secs. 8. 9 16 & 17
		Land same as last mile

SHOULD READ 30 L. Roy Graham

Township No. 4 N. Range No. 2 West 2d Mend

CHS.	LKS.
West	On the True line between Secs. 8 & 17 Tp. N.R. 2 W.
40.00	Set a Temp. 1/4 Sec. post at the av. dist. on the true line (from which) a Beech 9 in. dia. bears planted for the Cor. of 1/4 Sec. at av. dist. Beech 11 in. dia. bears N7 E17 links dist.
80.00	To the post Cor. of Secs. 7. 8. 17 & 18.
West	Between Secs. 7 & 18 Tp. N.R. 2 W.
40.00	Set a 1/4 Sec. post from which a Beech 12 in. dia. bears S27 W14 links dist. & a Do. Do. " " " N5 E28 " "
66.62	Intersect the West Boundary 392 links North of the post Cor. of Secs. 12 & 13 Tp. N.R. 3 W. and set a post for the Cor. of Secs. 7 & 18 from which a Beech 24 in. dia. bears N60 E15 links dist. & a Do. 10 " " " S54 W34 Land hilly, Timber some, good soil.
South	On a Random line between Secs. 7 & 8 Tp. N.R. 2 W.
40.00	Set a Temp. 1/4 Sec. post
80.60	Intersect the E. & W. line 4 links East of the post Cor. of Secs. 7. 8. 17 & 18. Land 1st rate for farming. Timber Beech, Sugar, Poplar, Walnut &c.
North	On the True line between Secs. 7 & 8 Tp. N.R. 2 W.
40.20	Set the Temp. 1/4 Sec. post at the av. dist. on the true line from which a Beech 18 in. dia. bears S31 W28 links dist. and a Dogwood 6 " " " N76 W20 " "
80.60	To the post Cor. of Secs. 5. 6. 7 & 8

Township No 9 N. Range No 2 West 2d Merid

CHS	LKS	
West		Between Secs 5 & 8 Tp N R 2 W.
40.00		Set a post for the Cor. of 1/4 Sec. from which a
		Beech 14 in. dia bears N15 E 16 links dist. & a
		Do 15 " " " S 1 W 42 " "
80.00		Set a post for the Cor of Secs 5.6 7 & 8 from which
		a Beech 9 in dia bears N70 E 11 links dist & a
		Do 9 " " " S62 W 15 " "
		Land level and part wet, and part good
		for farming.
West		Between Secs 6 & 7 Tp N.R. 2 W.
40.00		Set a 1/4 Sec post from which a
		Hickory 14 in dia. bears N29 W 1 links dist &
		Beech 6 " " " S 59 E 6 " "
67.36		I intersect the West Boundary 472 links North
		of the post Cor of Secs. 1 & 12 Tp N.R 3 W and
		set a post for the Cor. of Secs 6 & 7 from which a
		Beech 10 in dia. bears S 62 E 4 links dist & a
		Do 12 " " " N 78 W 9 " "
		Land good for farming. Timber similar
North		Between Secs 5 and 6 Tp N R 2 W.
40.00		Set a 1/4 Sec. post from which a
		Hickory 10 in dia bears S 7 E 11 links dist & a
		W. Oak 20 " " " N 24 W 15 " "
73.80		I intersect the N. Boundary 479 links
		West of the post Cor. of Secs. 31 & 32
		T 10 N. R. 2 W and set a post for the Cor of
		Secs 5 & 6 from which a
		Beech 9 in dia. bears N 40 E 9 links dist & a
		Do 10 " " " S 54 W 22 " "

Township No 9 N. Range No 2 West 2d Merid

CHS. LKS.

Land level and wet, timber principally Beech.

Surveyed by

William Harris

Deputy Surveyor.